



## BLINDS WITHOUT CORD HOLES



Dometic Oceanair Skysol Honeycomb offers superior light control. With no visible cording holes to the face of the fabric, you can achieve a thorough blackout coverage for a great night's sleep and complete privacy. On top of that, the Skysol Honeycomb has a range of fabric and colours to choose from. Its slim profile makes it ideal for slim recesses. Powered operation is available with 12 V DC, 24 V DC or mains motors, operated by hand held remote, or integration into the control system.

## BENEFITS WITH SKYSOL HONEYCOMB

- Suitable for slim recesses
- Choice of fabric types and colours
- Powered operation available with 12 V DC, 24 V DC or mains motors
- Hand held remote, wall switch or integration into the control system
- Available with white, beige, black or grey hardware
- Suitable for inclines
- No visible cording holes

## **SPECIFICATIONS**

POWERED CONTROLS	Custom Powered & Headrail Options Available			
MANUAL CONTROLS	Pull Cord Fixed Handle			
FABRIC	Honeycomb	Privacy		
	Collection Specified	Blackout		
HARDWARE	Beige			
	White			
	Graphite			
	Black			
FIXINGS	Face Fix			
	Top Fix			
RESTRAINTS	Free Hangling			
	Guide Wires			
HOLD DOWNS	Chrome Dome			
	Footplates			
ANGLE SUITABILITY	AO (0°)	DB (30° - 60°)		
	AO-DB (0° - 20°)	DBE (30°-60°)		
	AO-DBE (0° - 20°)	PB (60° - 90°)		
	AB (0° - 30°)			



## BLINDS WITHOUT CORD HOLES



SKYSOL HONEYCOMB PLEASE USE AS GENERAL GUIDE FOR SHAPED O TECHNICAL DATA	PTIONS				
PRODUCT CODE: PB2H	MANUAL		POWERED		
Min Width (X)	106mm (4 <sup>3/4</sup> ") 306mm (12 <sup>1/16</sup> ")		306mm (12 <sup>1/16"</sup> )		
Min Width (X) Type AO Blinds	N/A		506mm (19 <sup>15/16</sup> ")		
Min Drop (Y)	100mm (3 <sup>15/16</sup> °)				
Max Area (Sq.M.)	4			N/A	
Max Width (X)	4400mm (173 <sup>1/4</sup> °)				
	If Width (X) ← 1000mm	If Width (X) 100	lmm → 2700mm	If Width (X) 2701mm 4400mm	
Max Drop (Y)	5200mm (204 <sup>3/4</sup> °)	3500mm	(137 <sup>13/16</sup> ")	2200mm (86 <sup>5/8</sup> ")	
	Headrail Fitting Allowance Depth				
Top Fix	50mm (2")			70mm (2 <sup>3/4</sup> °)	
Face Fix	26mm (1")			33mm (1 <sup>5/16</sup> ")	

